



Excelsys Technologies Ltd.  
27 Eastgate Drive  
Eastgate Business Park  
Little Island  
Co. Cork, Ireland

Tel: + 353 21 4354716  
Fax: + 353 21 4354864



## DECLARATION OF CONFORMITY

Products, subassemblies, and components listed here are in compliance with the RoHS 2 EU Directive 2011/65/EU on the Restriction of the use of certain Hazardous Substances in electrical and electronic equipment.

### The 6 restricted substances are:

- Lead (Pb)
- Mercury (Hg)
- Cadmium (Cd)
- Hexavalent Chromium (Cr+6)
- Polybrominated biphenyls (PBB)
- Polybrominated biphenyl ethers (PBDE)

Excelsys Technologies Ltd certifies that the products have been built and tested in conformance with the applicable specifications indicated in the drawings attached to the purchase order. In the absence of drawings, Excelsys certifies that the products have been built and tested in conformance with the specifications in effect at the time of the purchase order.

## MODELS COVERED UNDER THIS DECLARATION

**Product Name:** UltiMod Series  
**Product Type:** Component Power Supply

### Model Numbering System:

For 6 slot UltiMod units: Part Number = UXz abcdef g k h j  
For 4 slot UltiMod units: Part Number = UXz abcd g k h j

UX = all part numbers start with 'UX'

z = 6, X or D for 6 slot units  
z = 4 or S for 4 slot units

a = 0, 1, 2, 3, 4, 5, 7, 8, A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R or T.  
b = 0, 1, 2, 3, 4, 5, 7, 8, A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R or T.  
c = 0, 1, 2, 3, 4, 5, 7, 8, A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R or T.

Doc No: 41012 rev. 00 - Declaration of Conformity - UltiMod Series - RoHS 2  
Prepared: S.-I. Cionca  
Date: 19<sup>th</sup> October 2016

d = 0, 1, 2, 3, 4, 5, 7, 8, A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R or T.  
e = 0, 1, 2, 3, 4, 5, 7, 8, A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R or T.  
f = 0, 1, 2, 3, 4, 5, 7, 8, A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R or T.

g = '-', P, C, R or S

'-' = Standard model (nominal voltage)  
P = Specific voltage adjustment settings  
C = Conformal coating  
R = Ruggedized for vibration  
S = C + R

k = Any alphanumeric character describing customer internal wiring lengths. Where no internal wiring exists and standard IEC appliance inlet is used k=0.

H = 0, 2, 4 or 6

0 = Standard model  
2 = Reverse fan  
4 = Low leakage  
6 = 2 + 4

j = Any alphanumeric character. Optional. Logistics use only.

**Accessories:** XP1 (Parallel Link); XS1 (Series Link); XE1 (IEC to Screw adaptor).

Place of Issue: Cork, Ireland  
Date of Issue: 19<sup>th</sup> October 2016

For and on behalf of  
Excelsys Technologies Limited



Dermot Flynn