IEC IECEE CB SCHEME	Ref. Certif. No.
	HU-001879

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product Produit	Switch Mode Power Supply
Name and address of the applicant Nom et adresse du demandeur	Excelsys Technologies Ltd. 27 Eastgate Drive, Little Island, Cork, Ireland
Name and address of the manufacturer Nom et adresse du fabricant	Excelsys Technologies Ltd. 27 Eastgate Drive, Little Island, Cork, Ireland
Name and address of the factory Nom et adresse de l'usine Note: *When more than one factory, please report on page 2* Note: *Lorsque il y plus d'une usine, veuillez utiliser la 2ème page*	Shenzhen WATT Electronics Co., Ltd. No. 5 Tunnel 1, TangFang Garden, 35 District, Baoan, Shenzhen, Guangdong, China
Ratings and principal characteristics Valeurs nominales et caractéristiques principales	Input: 100-240V ac, 50/60Hz; 5A-2.5A; Output: 600W max.(any configuration) (see Test Report for further details)
Trademark (if any) Marque de fabrique (si elle existe)	excelsys
Type of Manufacturer's Testing Laboratories used Type de programme du laboratoire d'essais constructeur	CTF Stage 1
Model / Type Ref. Ref. De type	CX06S-wxyz-defgh (CoolX); CX06S-0000-defgh (CoolX CoolPac); Cma-bcd (CoolX CoolMod) (See type variations on page 2-3 of this Certificate)
Additional information (if necessary may also be reported on page 2) Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2ème page	---
A sample of the product was tested and found to be in conformity with Un échantillon de ce produit a été essayé et a été considéré conforme à la	IEC 62368-1:2014 IEC 60950-1:2005 + AMD1:2009 +AMD2:2013 EU Group Differences and National Differences National Differences: CA, US (See Test Report for summary of National Deviations)
As shown in the Test Report Ref. No. which forms part of this Certificate Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat	28230881 001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

TÜVRheinland®

TÜV Rheinland InterCert Kft., Division MEEI
H-1132 Budapest, Váci út 48/A-B
www.tuv.hu

TÜV Rheinland InterCert Kft. TÜVRheinland® 1. Product Certification

Date: 2016-10-17

Signature: Gabor Kassai

Type variations and ratings:

CoolX configured power supply part numbering system:

Part Number: **CXabc-wxyz-defgh**

where:

CX = all CoolX part numbers start with 'CX'	
ab = 06	06 = 600W output
c = S	S = ITE/Industrial product
w, x, y, z = A, B, C or D	A = CmA, B = CmB, C = CmC, D = CmD
d = N; C; S; P or X	N = Standard model (Unconfigured) C = Conformal Coating S = Ruggedised incl. Conformal Coating P = Configured X = Internal use only
e = '-'; 0 - 9 or A-Z	'-' = Screw Terminal (Standard) 1 = IEC Terminal 4 = Screw Terminal, Low Leakage 5 = IEC Terminal, Low Leakage A-Z = Other connector options (cables etc)
f = A or B	A = 12V Aux output (standard) B = 5V Aux output
g = '-'; A-Z	'-' = Default (standard) A-Z = Reserved for internal use (software variants)
h = Optional	Any alphanumeric character. Logistic use only.

CoolX CoolPac front-end part numbering system:

Part Number = **CXabc-0000-defgh**

where:

CX = all CoolX part numbers start with 'CX'	
ab = 06	06 = 600W output
c = S	S = ITE/Industrial product
d = N; C; S; P or X	N = Standard model (Unconfigured) C = Conformal Coating S = Ruggedised incl. Conformal Coating P = Configured X = Internal use only

Additional information (if necessary)
Information complémentaire (si nécessaire)

TÜVRheinland®

TÜV Rheinland InterCert Kft., Division M[illegible]
H-1132 Budapest, Váci út 48/A-B
www.tuv.hu

TÜV Rheinland InterCert Kft. TÜVRheinland® 1. Product Certification

Date: 2016-10-17

Signature:

Gabor Kassai

e = '-'; 0 - 9 or A-Z	'-' = Screw Terminal (Standard) 1 = IEC Terminal 4 = CSA/UL 62368-1:2014 = Screw Terminal, Low Leakage 5 = IEC Terminal, Low Leakage A-Z = Other connector options (cables etc)
f = A or B	A = 12V Aux output (standard) B = 5V Aux output
g = '-'; A-Z	'-' = Default (standard) A-Z = Reserved for internal use (software variants)
h = Optional	Any alphanumeric character. Logistic use only.

CoolX CoolMod plug-in modules part numbering system:

Part Number: **Cma-bcd**

where:

Cm = all CoolMod part numbers start with 'Cm'

a = A, B, C, D

- = Not Used or '-', P, C, R or S

Not Used or '-' = Standard model (*see note below*)
P = Specific output adjustment settings
C = Conformal coating
R = Ruggedized for vibration
S = C + R

bcd = Any three alphanumeric characters. Optional (not used on standard models). Logistics use only.

Note: Use '-' to designate standard model when bcd is used. e.g. CmB-X03
Not Used when bcd is not Used. e.g. CmB

Additional information (if necessary)
Information complémentaire (si nécessaire)

TÜVRheinland®

TÜV Rheinland InterCert Kft., Division MEEI
H-1132 Budapest, Váci út 48/A-B
www.tuv.hu

TÜV Rheinland InterCert Kft. TÜVRheinland® 1. Product Certification

Date: 2016-10-17

Signature:

Gabor Kassai