

Electromagnetic Compatibility Report

Contract Placed by: Excelsys Technologies Ltd
27 Eastgate Drive
Eastgate Business Park
Little Island
Cork
Ireland

Order No: 918057

EQUIPMENT TESTED

Manufacturer	Description	Part No.	Product Rev.
Excelsys Technologies Ltd	XF Model AC/DC Power Supply	XFC444444S00	07F

TEST SPECIFICATIONS

Title	Test Clauses
Mil Std 461F Ship Above Decks CVF EMC Control Plan Digital VLA,	CS114, RS103, CS101
MIL-STD-1399, SECTION 300A, Shipboard Electric Power, EN 61000-4-2	Voltage Spike
MIL-STD-704F, Aircraft Electric Power Characteristics	Voltage and Frequency Tolerance.

EMC TEST REPORT

Equipment: Excelsys Technologies Ltd
XF Model 1 kW configurable AC/DC Power Supply

Part No XFC444444S00

Date of Issue: 19th September 2012

Issue No.1

Report Author: Mr L Brien **Checked By:** Mr P Reilly
Signature: **Signature:**
Senior EMC Engineer EMC Manager

This report contains 15
pages including this cover
sheet.

Contents

1	INTRODUCTION	5
2	SUMMARY OF RESULTS	6
3	SCHEDULE OF TESTS	7
4	RESULTS. Mil Std 461F SUSCEPTIBILITY TESTS	7
4.1	RS103. RF Radiated Susceptibility, Electric Field.....	7
4.1.1	RS103. RF Radiated Susceptibility. Electric Field (2MHz to 1GHz)	7
4.2	CS114, Conducted Susceptibility, Bulk Cable Injection, (10kHz to 400 MHz)	8
4.3	CS101, Conducted Susceptibility, Power Leads, (800 Hz to 150 kHz)	9
4.4	MIL-STD-1399, SECTION 300A, Shipboard Electric Power. Voltage Spike Test.....	10
4.5	MIL-STD-704F, Electrical Power Characteristics, Voltage and Frequency Tolerance .	11

Compliance Engineering Ireland Ltd Terms and Conditions

1. All quotations are submitted, orders are accepted and services supplied by Compliance Engineering Ireland Limited ("CEIL") subject to and upon the following express Terms and Conditions and all other Conditions, warranties and representations express or implied and statutory or otherwise are hereby excluded insofar as it is lawful to do so. No addition thereto or variation therefrom, contained or referred to in the Customers order form or otherwise effected shall apply unless specifically agreed in writing by a duly Authorised Officer of CEIL.
2. All orders including any based on a quotation previously submitted by CEIL are subject to acceptance in writing by CEIL.
- 3.(a) The prices set out in any quotation are based upon current costs and if there is any variation in the said costs between the date of the order or Contract and delivery of the final report CEIL shall be entitled to adjust prices to reflect such variations.
 - b) In the event of any suspension or variation of work arising from the Customer's instructions or lack of instructions the price set out in any quotation may be increased to cover any extra expense incurred by CEIL.
 - c) All prices quoted are strictly NET. The customer shall where applicable, in addition to the relevant price, pay a sum equal to the VAT chargeable in respect of the supply of services.
 - d) Accounts must be paid in full in advance or by way of an irrevocable letter of credit opened with a Bank approved by CEIL unless credit terms have been agreed by CEIL in which event accounts must be paid in full within 1 month from the date of the invoice. Time for payment is of the essence and the customer shall be liable to pay any outstanding amount from its due date until the date of payment at a rate of 2% per month or part thereof.
4. Any times quoted for the performance of services are to be treated as estimates only. CEIL shall not be liable in any manner whatsoever for failure to perform services within the time quoted, nor in such circumstances shall the Customer be entitled to cancel or terminate any order or contract.
5. The Customer is responsible for delivery to CEIL of test item(s) free of any duty, VAT, freight charges etc. unless otherwise agreed in writing by CEIL.
6. The Customer shall be responsible for collecting non-perishable samples received for testing or laboratory work upon completion of tests or laboratory work. If the Customer fails to collect such samples within 90 days from completion of the tests or laboratory work CEIL shall be entitled without further notice to dispose of the samples without liability.
7. No action or legal proceedings shall be taken (except in the case of wilful neglect or default) against CEIL by reason of or arising out of any research, investigation, test or analyses or the publication of the results thereof in the name of CEIL. Under no circumstances shall CEIL be liable to the Customer for any indirect, incidental, special or consequential damages of any nature whatsoever (including but not limited to loss of use, revenue, profit, data or business opportunity) either based upon a claim or action in Contract or in Tort, indemnity or contribution, or otherwise arising out of the Contract or performance of services by CEIL even if CEIL has been advised of the possibility of such damages. The limit of CEIL's aggregate liability (whether in Contract, Tort, strict liability in Tort or by statute or otherwise) to the Customer or to any third party for non-performance by CEIL and for any and all other claims shall not in the aggregate exceed the fees paid by the Customer to CEIL. The Customer shall indemnify CEIL against all claims made against CEIL by any third party arising from this Contract.
8. The copyright of any report is reserved to CEIL and it shall not be used either in whole or in part, for the purposes of advertising, publicity, litigation or otherwise without the prior written consent of a duly Authorised Officer of CEIL where such consent is given the Customer shall comply with any conditions attaching to the consent. In conformance with laboratory accreditation requirements reports shall only be produced in full. The test results tabulated shall relate only to the defined item(s) tested.
9. If in CEIL's judgment, the customer's financial condition is such as could adversely affect the customer's ability to perform any of its obligations or if the customer is in default in any of its obligations to CEIL whether hereunder or under any other Contract CEIL may terminate this Contract and/ or any other Contract between CEIL and the Customer, cancel any uncompleted order or suspend performance of services or the delivery of any reports and if it does so the Customer shall indemnify CEIL against all costs, charges, expense and damages incurred thereby.
10. CEIL will not be liable for non-performance in whole or in part of its obligations if this is attributable to any cause beyond the control of CEIL including (without limitation) any act of god, force majeure, war, civil war, disturbance, rebellion, embargo, strike, labour dispute, illness, flood, fire, sabotage or government action or regulation. If a Contract or order or any part thereof shall become impossible of performance or otherwise frustrated CEIL shall be entitled to reasonable remuneration for any work done up to the date of such impossibility or frustration, due credit being given for any amounts in respect of the Contract or order paid by the Customer.
11. These Conditions and the Contract to which the document relates shall in all respects be governed by and construed in accordance with the laws of the Republic of Ireland and in accordance with the Republic of Ireland shall have exclusive jurisdiction to determine any disputes arising therefrom unless otherwise agreed.

EMC TEST REPORT No. 12E4138-1

Date Equipment Delivered
for EMC Testing : 15th August 2012

Date of Tests : 16th August to 26th September 2012

Test Location : Compliance Engineering Ireland Ltd., Dunshaughlin, Co. Meath

EUT Condition : Good

CEI EMC Engineer : Mr L Brien

1 INTRODUCTION

EMC tests were performed on an Excelsys AC/DC power supply unit to assess its Electromagnetic Compatibility characteristics in general accordance with selected tests from Mil Std 46IF, Mil Std 1399 Section 300 Type 1 and Mil-Std 704F

The EUT was an XF Model 1 kW configurable power supply. The XF Model consisted of one XFC Powerpac module and 6 x XG4 PowerMod modules

The EUT was tested with and without an external filter circuit supplied by Excelsys for selected tests and as specified in the relevant test section in this report.

The EUT testing for Mil Std 1399 Section 300 Type 1 and Mil-Std 704F was powered by 115V 60 Hz and 400Hz depending on the selected test and as specified in the relevant test section.

Photographs of the test layouts are shown towards rear of report.

All EMC test equipment used is regularly calibrated and the calibrations are traceable to National and International Standards. Compliance Engineering Ireland Ltd is an INAB accredited testing laboratory No. 088T. CEI is accredited for emissions and immunity testing to commercial standards only and not those specially contained in this report.

This report applies only to the equipment tested. The major items of test equipment used are listed in Appendix A.

2 SUMMARY OF RESULTS

The EUT was tested to the following specification test clauses:

- 1 MIL-STD 461F, RS103 RF Radiated Susceptibility, Electric Field, Army and Ground Limits (2 MHz to 1 GHz). **Compliant.**
- 2 MIL-STD 461F, CS114, Conducted Susceptibility, Bulk Cable Injection, Army and Ground Limits, (10 kHz to 200 MHz). **Compliant.**
- 3 MIL-STD-461F, CS101, Conducted Susceptibility, Power Leads, 800 Hz to 150 kHz, **Compliant**
- 4 MIL-STD-1399, SECT. 300A, Electric Power. Voltage Spike. **Compliant.**
- 5 MIL-STD-704F, Table 1, Steady State and Transient Voltage Characteristics, Steady State and Transient Frequency Characteristics. **Compliant.**